
| PART NO. | DESCRIPTION | WEIGHT |
|---------------|--------------|---------|
| AB1179-8B46HD | 2.37"OD x 8' | 32 LBS. |



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL±
ANGULAR: MACH± BEND±
TWO PLACE DECIMAL±
THREE PLACE DECIMAL±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

WATERLOO, IA 50703 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

TITLE:


2.37"ODx8' B4 MAST, HDG

| DRAWN BY | DATE | |
|--------------|----------|-------|
| JK | 04/02/23 | |
| MATERIAL | FINISH | |
| STEEL | HDG | |
| DWG. PURPOSE | SHEET | SCALE |
| CUSTOMER | 1OF2 | - |
| PART NO | | |

AB1179-8B46HD DWG. NO.

AB1179-8B46HD







THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ±
ANGULAR: MACH ± BEND ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

WATERLOO, IA 50703 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

TITLE:


2.37"ODx8' B4 MAST, HDG

| DRAWN BY | DATE | |
|--------------|----------|-------|
| JK | 04/02/23 | |
| MATERIAL | FINISH | |
| STEEL | HDG | |
| DWG. PURPOSE | SHEET | SCALE |
| CUSTOMER | 2OF2 | - |
| DADT NO | | |

PART. NO. AB1179-8B46HD

DWG. NO. AB1179-8B46HD

| PART NO. | DESCRIPTION | WEIGHT |
|---------------|--------------|---------|
| AB1182-8B46HD | 2.88"OD x 8' | 47 LBS. |



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL±
ANGULAR: MACH± BEND±
TWO PLACE DECIMAL±
THREE PLACE DECIMAL±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

WATERLOO, IA 50703 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM


TITLE:

2.88"ODx8' B4 MAST, HDG

| DRAWN BY | DATE | |
|--------------|----------|-------|
| JK | 04/02/23 | |
| MATERIAL | FINISH | |
| STEEL | HDG | |
| DWG. PURPOSE | SHEET | SCALE |
| CUSTOMER | 1OF2 | - |
| PART NO | | |

AB1182-8B46HD DWG. NO. AB1182-8B46HD







THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL±
ANGULAR: MACH± BEND±
TWO PLACE DECIMAL±
THREE PLACE DECIMAL±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

WATERLOO, IA 50703 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

TITLE:

2.88"ODx8' B4 MAST, HDG

| DRAWN BY | DATE | |
|--------------|----------|-------|
| JK | 04/02/23 | |
| MATERIAL | FINISH | |
| STEEL | HDG | |
| DWG. PURPOSE | SHEET | SCALE |
| CUSTOMER | 2OF2 | - |
| PART NO | | |

AB1182-8B46HD

DWG. NO. AB1182-8B46HD

| PART NO. | DESCRIPTION | WEIGHT |
|----------------|-----------------------|----------|
| AB1044-10.5FHD | 4.00"OD(\$40) x 10.5" | 103 LBS. |



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL±
ANGULAR: MACH± BEND±
TWO PLACE DECIMAL±
THREE PLACE DECIMAL±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

CEDAR FALLS, IA 50613 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM


TITLE:

4"OD(\$40)x10.5' INGROUND POLE, HDG

| DRAWN BY | DATE | |
|--------------|----------|-------|
| JK | 04/11/23 | |
| MATERIAL | FINISH | |
| STEEL | HDG | |
| DWG. PURPOSE | SHEET | SCALE |
| CUSTOMER | 1OF2 | - |
| PART. NO. | | |

AB1044-10.5FHD

DWG. NO. AB1044-10.5FHD



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ±
ANGULAR: MACH ± BEND ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

CEDAR FALLS, IA 50613 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

TITLE:


4"OD(\$40)x10.5' INGROUND POLE, HDG

| DRAWN BY | DATE | |
|--------------|----------|-------|
| JK | 04/11/23 | |
| MATERIAL | FINISH | |
| STEEL | HDG | |
| DWG. PURPOSE | SHEET | SCALE |
| CUSTOMER | 2OF2 | - |
| PART. NO. | | |

AB1044-10.5FHD

DWG. NO. AB1044-10.5FHD

| PART NO. | DESCRIPTION | WEIGHT |
|----------------|-----------------------|----------|
| AB1045-10.5FHD | 4.50"OD(\$40) x 10.5" | 124 LBS. |



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

CEDAR FALLS, IA 50613 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

TITLE:


4.5"OD(\$40)x10.5' INGROUND POLE, HDG

| | DRAWN BY | DATE | |
|---|--------------|----------|-------|
| ı | JK | 04/11/23 | |
| ı | MATERIAL | FINISH | |
| ı | STEEL | HDG | |
| I | DWG. PURPOSE | SHEET | SCALE |
| | CUSTOMER | 1OF2 | - |
| | PART. NO. | | |

AB1045-10.5FHD

DWG. NO.

AB1045-10.5FHD



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

CEDAR FALLS, IA 50613 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

TITLE:

4.50"OD(\$40)x10.5" INGROUND POLE, HDG


| | DRAWN BY | DATE | |
|---|--------------|----------|-------|
| | JK | 04/11/23 | |
| | MATERIAL | FINISH | |
| | STEEL | HDG | |
| | DWG. PURPOSE | SHEET | SCALE |
| | CUSTOMER | 2OF2 | - |
| Ī | PART NO | | |

AB1045-10.5FHD

DWG. NO.

AB1045-10.5FHD

| PART NO. | DESCRIPTION | WEIGHT |
|------------------|------------------------|----------|
| AB1047-10.5FS8HD | 5.50"OD(.375w) x 10.5' | 230 LBS. |



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL±
ANGULAR: MACH± BEND±
TWO PLACE DECIMAL±
THREE PLACE DECIMAL±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

CEDAR FALLS, IA 50613 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

IIILE:


5.50"OD(.375w)x10.5" INGROUND POLE, HDG

| DRAWN BY | DATE | |
|--------------|----------|-------|
| JK | 04/11/23 | |
| MATERIAL | FINISH | |
| STEEL | HDG | |
| DWG. PURPOSE | SHEET | SCALE |
| CUSTOMER | 1OF2 | - |
| PART NO | | |

AB1047-10.5FS8HD

DWG. NO.

AB1047-10.5FS8HD



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ±
ANGULAR: MACH ± BEND ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

CEDAR FALLS, IA 50613 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

TITLE:

5.50"OD(.375w)x10.5" INGROUND POLE, HDG


| DRAWN BY | DATE | |
|--------------|----------|-------|
| JK | 04/11/23 | |
| MATERIAL | FINISH | |
| STEEL | HDG | |
| DWG. PURPOSE | SHEET | SCALE |
| CUSTOMER | 2OF2 | - |
| PART. NO. | | |

AB1047-10.5FS8HD

DWG. NO.

AB1047-10.5FS8HD

| PART NO. | DESCRIPTION | WEIGHT |
|----------------|-----------------------|----------|
| AB1184-10.5FHD | 5.56"OD(\$40) x 10.5" | 165 LBS. |



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL±
ANGULAR: MACH± BEND±
TWO PLACE DECIMAL±
THREE PLACE DECIMAL±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

CEDAR FALLS, IA 50613 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM


TITLE:

5.56"OD(\$40)x10.5" INGROUND POLE, HDG

| 1 | DRAWN BY | DATE | |
|---|--------------|----------|-------|
| | JK | 04/11/23 | |
| | MATERIAL | FINISH | |
| | STEEL | HDG | |
| | DWG. PURPOSE | SHEET | SCALE |
| | CUSTOMER | 1OF2 | - |
| 1 | PART NO | | |

AB1184-10.5FHD

DWG. NO. AB1184-10.5FHD



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ±
ANGULAR: MACH ± BEND ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

CEDAR FALLS, IA 50613 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

TITLE:


5.56"OD(\$40)x10.5" INGROUND POLE, HDG

| DRAWN BY | DATE | |
|--------------|----------|-------|
| JK | 04/11/23 | |
| MATERIAL | FINISH | |
| STEEL | HDG | |
| DWG. PURPOSE | SHEET | SCALE |
| CUSTOMER | 2OF2 | - |
| PART. NO. | | |

AB1184-10.5FHD

DWG. NO. AB1184-10.5FHD

| PART NO. | DESCRIPTION | WEIGHT |
|----------------|-----------------------|----------|
| AB1187-10.5FHD | 6.62"OD(\$40) x 10.5" | 213 LBS. |



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

CEDAR FALLS, IA 50613 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

TITLE:


6.62"OD(\$40)x10.5" INGROUND POLE, HDG

| DRAWN BY | DATE | |
|--------------|----------|-------|
| JK | 04/11/23 | 3 |
| MATERIAL | FINISH | |
| STEEL | HDG | |
| DWG. PURPOSE | SHEET | SCALE |
| CUSTOMER | 1OF2 | - |
| PART. NO. | | |

AB1187-10.5FHD

DWG. NO.

AB1187-10.5FHD



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

CEDAR FALLS, IA 50613 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

TITLE:

6.62"OD(\$40)x10.5" INGROUND POLE, HDG

| DRAWN BY | DATE | |
|--------------|----------|-------|
| JK | 04/11/23 | |
| MATERIAL | FINISH | |
| STEEL | HDG | |
| DWG. PURPOSE | SHEET | SCALE |
| CUSTOMER | 2OF2 | - |
| PART NO | | |

AB1187-10.5FHD

DWG. NO.

AB1187-10.5FHD

| PART NO. | DESCRIPTION | WEIGHT |
|----------------|---------------------|----------|
| AB1187-12FS8HD | 6.62"OD(\$80) x 12" | 361 LBS. |



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL±
ANGULAR: MACH± BEND±
TWO PLACE DECIMAL±
THREE PLACE DECIMAL±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

CEDAR FALLS, IA 50613 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM


TITLE:

6.62"OD(\$80)x12' INGROUND POLE, HDG

| DRAWN BY | DATE | |
|--------------|----------|-------|
| JK | 04/11/23 | |
| MATERIAL | FINISH | |
| STEEL | HDG | |
| DWG. PURPOSE | SHEET | SCALE |
| CUSTOMER | 1OF2 | - |
| BART NO | | |

AB1187-12FS8HD

DWG. NO. AB1187-12FS8HD



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

CEDAR FALLS, IA 50613 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

TITLE:

6.62"OD(\$80)x12' INGROUND POLE, HDG

| DRAWN BY | DATE | |
|--------------|----------|-------|
| JK | 04/11/23 | |
| MATERIAL | FINISH | |
| STEEL | HDG | |
| DWG. PURPOSE | SHEET | SCALE |
| CUSTOMER | 2OF2 | - |
| PART NO | | |

AB1187-12FS8HD

DWG. NO.

AB1187-12FS8HD