
PL2-S-(000X0)-RP



SYM	PART#	DESCRIPTION	QTY.	
1	AB1511(1/2X9)H	PL-2 BASE ASS'Y, HDG	1	
2	AS REQ'D	X.XX"OD xX' MAST w/9" PLT, HDG	1	
3	AB1512AHD	PL2/VL4 ARM ASS'Y, HDG	4	
4	AB1136AHD	PL2/VL4 BRACE TUBE, HDG	4	
5	AB1756HD	FOOT ASS'Y, HDG	4	
6	AB1119BHD	6' BALLAST ANGLE, HDG	8	
7	AB1126BHD	SINGLE TRAY SIDE PAD (16"), HDG	8	
8	H1-0625-200GR8	5/8"x 2" BOLT GR.8, Z/P	4	
9	H4-0625LW	5/8" SPLIT LOCKWASHER, Z/P	4	
10	H2-0625HN	5/8" NUT, Z/P	4	
11	H1-0500-350	1/2" x 3-1/2" BOLT GR.5, Z/P	28	μВ
12	H4-0500LW	1/2" SPLIT LOCKWASHER, Z/P	28	HDWE- 28X350
13	H2-0500HN	1/2" NUT, Z/P	28	ΣÄ
14	H1-0375-100	3/8" x 1" BOLT GR.5, Z/P	32	BT
15	H4-0375LW	3/8" SPLIT LOCKWASHER, Z/P	32	HDWE-BT QTY.2
16	H2-0375HN	3/8" NUT, Z/P	32	90
		RUBBER PAD 16"x77"	4	
		PALLET	1	

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



WWW.BAIRDMOUNTS.COM

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ±
ANGULAR: MACH ± BEND ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING


BAIRD MOUNTING SYSTEMS

WATERLOO, IA 50703 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

TITLE:

PL2, SINGLE TRAY, MAST, RUBBER PAD

DRAWN BY JK	DATE 11/23/21		
MATERIAL STEEL	FINISH HDG		
DWG. PURPOSE INST	SHEET 1	SCALE -	
PART. NO. PL2-S-(000X0)-RP			
DWG. NO. PL2-S-(000X0)-RP ASSY INST			



LOCATE A 56" ARM ASS'Y(#3). WITH THE TABS POINTING DOWNWARD AND AWAY FROM THE BASE, ATTACH TO THE UPPER FINS WITH (2)1/2"x3-1/2" BOLTS, LOCKWASHERS & NUTS. (DO NOT TIGHTEN ANY HARDWARE UNTIL THE ASSEMBLY IS COMPLETE AND MOUNT IS IN ITS FINAL POSITION.)

NEXT, ATTACH THE 31" BRACE TUBE(#4) TO THE LOWER FINS WITH (2)1/2"x3-1/2" BOLTS, LOCKWASHERS & NUTS, AS SHOWN IN THE ABOVE DIAGRAM. NEXT, ATTACH THE OTHER END OF THE BRACE TUBE TO THE TABS ON THE 56" ARM(#3) USING (1)1/2"x3-1/2" BOLT, LOCKWASHER & NUT. NOTE, THE SINGLE HOLE ON THE BRACE TUBE SHOULD BE TOWARDS THE TOP OF THE TUBE.

ATTACH THE FOOT (#5) TO THE END OF THE PL2 ARM, USING (2) 1/2"x3-1/2" BOLTS, LOCKWASHERS AND NUTS.

REPEAT THE PREVIOUS STEPS FOR THE THREE REMAINING SIDES. DO NOT TIGHTEN HARDWARE UNTIL COMPLETE MOUNT IS ASSEMBLED AND PLACED IN ITS FINAL LOCATION.

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



WWW.BAIRDMOUNTS.COM

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ±
ANGULAR: MACH ± BEND ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING


BAIRD MOUNTING SYSTEMS

WATERLOO, IA 50703 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

TITLE:

PL2, SINGLE TRAY, MAST, RUBBER PAD

DRAWN BY JK	DATE 11/23/21			
MATERIAL STEEL	FINISH HDG			
DWG. PURPOSE INST	SHEET 2	SCALE -		
PART. NO. PL2-S-(000X0)-RP				
DWG. NO. PL2-S-(000X0)-RP ASSY INST				



ASSEMBLE A BALLAST TRAY AND ATTACH TO THE FOOT ASS'Y, AS SHOWN ABOVE. USE TWO 6' BALLAST ANGLES (#6), TWO SINGLE TRAY SIDE PADS (#7) AND EIGHT 3/8"x1" BOLTS, LOCKWASHERS & NUTS. SEE THE DRAWING SHOWN ABOVE.
REPEAT FOR THE REMAINING THREE BALLAST TRAYS.

ATTACH THE MAST TO THE BASE USING FOUR 5/8"x2" BOLTS, LOCKWASHERS AND NUTS(#8,#9,#10)

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



WWW.BAIRDMOUNTS.COM

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ±
ANGULAR: MACH ± BEND ±
THOO PLACE DECIMAL ±
THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

WATERLOO, IA 50703 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM


TITLE:

PL2, SINGLE TRAY, MAST, RUBBER PAD

Ī	DRAWN BY	DATE	
	JK	11/23/21	
	MATERIAL	FINISH HDG	
	STEEL		
	DWG. PURPOSE	SHEET	SCALE
	INST	3	-
PART. NO.			-
PL2-S-(000X0)-RP DWG. NO. PL2-S-(000X0)-RP ASSY INST			

REV. 08/2022

PART NO.	MAST DIAMETER	WEIGHT
PL2-S-237X3	2.37"OD	346 lbs.
PL2-S-288X3	2.88"OD	353 lbs.
PL2-S-400X3	4.00''OD	363 lbs.
PL2-S-450X3	4.50''OD	368 lbs.
PL2-S-550X3	5.50"OD	398 lbs.
PL2-S-556X3	5.56"OD	380 lbs.
PL2-S-662X3	6.62"OD	393 lbs.



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL±
ANGULAR: MACH± BEND±
TWO PLACE DECIMAL±
THREE PLACE DECIMAL±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS


WATERLOO, IA 50703 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM


IIILE:

PL2, SINGLE TRAY WITH 3' MAST

1	DRAWN BY	DATE	
ı	JK	12/29/21	
ı	MATERIAL	FINISH	
ı	STEEL	HDG	
l	DWG. PURPOSE	SHEET	SCALE
	CUSTOMER	1OF2	-
1	PART. NO.		
ı	SEE TABLE		

DWG. NO. PL2-S-(000)X3





THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL±
ANGULAR: MACH± BEND ±

TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

WATERLOO, IA 50703 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

TITLE:


PL2, SINGLE TRAYS WITH 3' MAST

DRAWN BY	DATE	
JK	12/29/21	
MATERIAL	FINISH	
STEEL	HDG	
DWG. PURPOSE	SHEET	SCALE
CUSTOMER	2OF2	-
PART. NO.		

SEE TABLE- SHEET 1

DWG. NO. PL2-S-(000)x3

PART NO.	MAST DIAMETER	WEIGHT
PL2-S-237X5	2.37"OD	353 lbs.
PL2-S-288X5	2.88"OD	364 lbs.
PL2-S-450X5	4.50''OD	390 lbs.



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS


WATERLOO, IA 50703 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

PL2, SINGLE TRAY WITH 5' MAST

DRAWN BY	DATE	
JK	12/29/21	
MATERIAL	FINISH	
STEEL	HDG	
DWG. PURPOSE	SHEET	SCALE
CUSTOMER	1OF2	-
PART. NO.		

SEE TABLE

DWG. NO. PL2-S-(000)X5



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL±
ANGULAR: MACH± BEND ±

TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

WATERLOO, IA 50703 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

TITLE:


PL2, SINGLE TRAYS WITH 5' MAST

DRAWN BY	DATE	
JK	12/29/21	
MATERIAL	FINISH	
STEEL	HDG	
DWG. PURPOSE	SHEET	SCALE
CUSTOMER	2OF2	-
PART. NO.		

SEE TABLE- SHEET 1

DWG. NO. PL2-S-(000)x5

PART NO.	MAST DIAMETER	WEIGHT	
PL2-S-237X10	2.37"OD	370 lbs.	
PL2-S-288X10	2.88"OD	392 lbs.	
PL2-S-450X10	4.50''OD	444 lbs.	



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS


WATERLOO, IA 50703 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM


PL2, SINGLE TRAY WITH 10' MAST

1	DRAWN BY	DATE	
	JK	12/29/21	
١	MATERIAL	FINISH	
	STEEL	HDG	
1	DWG. PURPOSE	SHEET	SCALE
	CUSTOMER	1OF2	-
1	PART. NO.		

SEE TABLE

DWG. NO. PL2-S-(000)X10





THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BAIRD SUPPORTING SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BAIRD SUPPORTING SYSTEMS IS PROHIBITED.



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ±
ANGULAR: MACH ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±

DO NOT SCALE DRAWING

BAIRD MOUNTING SYSTEMS

WATERLOO, IA 50703 PHONE: 319-233-3561 SALES@BAIRDMOUNTS.COM

TITLE:

PL2, SINGLE TRAYS WITH 10' MAST

DRAWN BY	DATE	
JK	12/29/21	
MATERIAL	FINISH	
STEEL	HDG	
DWG. PURPOSE	SHEET	SCALE
CUSTOMER	2OF2	-
PART. NO.		-

SEE TABLE- SHEET 1

PL2-S-(000)x10